

## EU Type Examination Certificate

Date: 2019/01/30

n. **158190516/OE**

Validity:  
2024/01/29

This Certificate cancels & replaces the previous one n° 158171601/OE dated 2017/04/18

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	<b>GRISPORT SpA calzaturificio</b> 31030 CASTELCUCCO (TV) – Via Erega, 1 – ITALIA	
Type of PPE:	<b>Safety footwear</b> in conformity with <b>EN ISO 20345:2011 class I</b> (= footwear in leather and other materials)	
Category of PPE:	<b>II</b> : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.	
Model	<b>"0033254-70299"</b>	
Description:	 <p><u>model</u>: C (calf footwear); <u>fastening system</u>: absent (tubular boot); <u>processing</u>: direct injection; <u>outsole</u>: black rubber marked "SAFETY VERA GOMMA HRO OIL RESISTANT ANTISTATIC MADE IN ITALY ABS ANTISHOCK" (cod. 2142B/00 022/ 1/00); <u>midsole</u>: coffee PU foam (cod. MPI/001); <u>upper</u>: brown leather DAKAR TREKKING IDRO declared 2,0/2,2 mm thick (cod. DAI/MAR); <u>vamp and quarter lining</u>: grey fabric SPOTEX TEPOR SELENE (cod. SPO/SELG) that cover the insole; <u>insole</u>: white multilayer fabric ZP01/1500 (cod. LC/ZP01) <u>with the function of anti-penetration insert</u>; <u>removable insock</u>: perforated black foam matched with black TNT on the foot side, with aluminum insert sewn with antistatic thread (zig-zag seam) on the lower side, "cinghialino nabukato" leather insert "lontra" color (cod. CIF/LON) sewn in the heel area on the foot side (cod. FLNPLCA); <u>toecap</u>: perforated and reinforced steel art. 604FR (cod. 604ACRF).</p>	
Technical Standard:	<b>EN ISO 20344:2011</b> (UNI EN ISO 20344:2012) <b>EN ISO 20345:2011</b> (UNI EN ISO 20345:2012)	Personal protective equipment – Test methods for footwear Personal protective equipment – Safety footwear
Intended use:	general industry, engineering industry, agriculture, warehouses.	
Size range:	from 39 to 47	
Technical File:	<b>DC-9526/E + DC-8397/E</b>	
Test report:	<b>RCT n°361315.01/E</b>	



## EU Type Examination Certificate

Date: 2019/01/30

n. **158190516/OE**

Validity:  
2024/01/29

Functions and performance levels:

**basic requirements for safety footwear** (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

**SRC = Slip resistance** – meets the following requirement:

- surface: ceramic / lubricant: detergent solution;
- surface: steel / lubricant: glycerol.

**Additional requirements** (Tab. 18 and 20 of EN ISO 20345:2011):

**S3** = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole; **HRO** = resistance to hot contact of the outsole; **HI** = heat insulation of sole complex; **WR** = resistance to water penetration of the whole footwear.

Note: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption).

Marking:

on a stitched label and containing the following information:

- **CE Marking**;
- Name of the Manufacturer (on the external side of the footwear);
- designation, unique and unambiguous, of the footwear;
- nr. and year of the Standard of reference + safety symbols;
- size of footwear (printed also into the outsole);
- production date (month + year);
- additional information: internal codes.

**CE** UNI EN ISO  
20345:2012  
03 / 2017

0033254-70299 S3

HRO HI WR SRC

XXXXXX

72907CD41t

42



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).