

## EU Type Examination Certificate


Date: 2019/01/30

n. **158190515/OE**

Validity:  
2024/01/29

This Certificate cancels & replaces the previous one n° 158162607/OE dated 2016/06/30

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	<b>GRISPORT SpA calzaturificio</b> 31030 CASTELCUCCO (TV) – Via Erega, 1 – ITALIA	
Type of PPE:	<b>Safety footwear</b> in conformity with <b>EN ISO 20345:2011 class I</b> (= footwear in leather and other materials)	
Category of PPE:	<b>II</b> : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.	
Model	<b>"33200-706L"</b>	
Description:	 <p><u>design</u>: B (ankle shoe); <u>fastening system</u>: by means of laces; <u>processing</u>: direct injection; <u>sole</u>: black single density PU marked SAFETY OIL RESISTANT ANTISTATIC MADE IN ITALY ABS ANTI SHOCK (cod. 2137MNP/00 – MPI/001); <u>scuff resistant covering of the toe region</u>: made of the same material of the outsole; <u>upper</u>: black leather Eskimo CE, declared thickness 1,8/2,0 mm (code ESK/NER) matched with black non-woven fabric; <u>collar</u>: black fabric Cordura matched with PE 40 (code COA/NER); <u>tongue/bellows</u>: black simple fabric Cordura (code COR/NER); <u>vamp lining</u>: black lining Aitelle 150 matched with MTP4+D40+CHARMEUSE (code FCA/NEC); <u>quarter lining</u>: black lining Aitelle 150 matched with black rubber (code FCA/NER); <u>insole</u>: beige non-woven fabric SIGMA 1100 STRONG ANTISTATICO IBITECH, thickness 2,5 mm (code ST2/GRI); <u>perforation resistant insert</u> : steel ESJOT article 0785 (code SOTANT); <u>removable insock</u>: black foam material matched with non-woven fabric in contact with the foot, perforated in the forepart, with an insert made of Aluminium stitched with antistatic thread (zigzag stitching), an insert made of wild boar skin in other color (code CIF/LON) stitched onto the heel area in contact with the foot (code FLNPLCA); <u>toecap</u>: painted steel, reinforced and perforated SAFIT 604FR (code 604ACRF).</p>	
Technical Standard:	<b>EN ISO 20344:2011</b> (UNI EN ISO 20344:2012)	Personal protective equipment – Test methods for footwear
	<b>EN ISO 20345:2011</b> (UNI EN ISO 20345:2012)	Personal protective equipment – Safety footwear
Intended use:	general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.	
Size range:	from 39 to 47	
Technical File:	<b>DC-9526/E + DC-7115/E</b>	
Test report:	<b>RCT n°352438/E</b>	



## EU Type Examination Certificate

Date: 2019/01/30

n. **158190515/OE**

Validity:  
2024/01/29

Functions and performance levels:

**basic requirements for safety footwear** (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

**SRC = Slip resistance** – meets the following requirement:

- surface: ceramic / lubricant: detergent solution;
- surface: steel / lubricant: glycerol.

**Additional requirements** (Tab. 18 and 20 of EN ISO 20345:2011):

**S3** = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole.

Marking:

on a stitched label and containing the following information:

- **CE Marking**;
- Name of the Manufacturer (printed on the lateral side of the footwear);
- designation of the footwear (alphanumeric code: unique/unambiguous);
- nr. and year of the Standard of reference + safety symbols;
- size of footwear (also printed on the outsole);
- date of production (month + year; also printed on the outsole with clock indicator);
- additional information: internal codes.

**CE** UNI EN ISO  
20345:2012  
07 / 2016

33200-706L S3 SRC

XXXXXX  
72704LE228  
42



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).